

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**\*1.1 Product identifier**

**\*Trade name:** FORMAZIN TURBIDITY STANDARD 1000 NTU

**\*Article number:** FORM100005

**\*Registration number**

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

**\*1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**\*Application of the substance / the mixture** Laboratory Chemicals

**\*1.3 Details of the supplier of the safety data sheet**

**\*Manufacturer/Supplier:**

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

**\*Further information obtainable by contacting:** [sds@reagecon.ie](mailto:sds@reagecon.ie)

**\*1.4 Emergency telephone number:**

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

**SECTION 2: Hazards identification**

**\*2.1 Classification of the substance or mixture**

**\*Classification according to Regulation (EC) No 1272/2008**



health hazard

Carc. 1A H350 May cause cancer.



Skin Sens. 1 H317 May cause an allergic skin reaction.

**\*2.2 Label elements**

**\*Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**\*Hazard pictograms**



GHS07 GHS08

**\*Signal word** Danger

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

Trade name: **FORMAZIN TURBIDITY STANDARD 1000 NTU**

(Contd. of page 1)

**\*Hazard-determining components of labelling:**

methenamine  
hydrazinium(2+) sulphate

**\*Hazard statements**

H317 May cause an allergic skin reaction.  
H350 May cause cancer.

**\*Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**\*2.3 Other hazards****\*Results of PBT and vPvB assessment****\*PBT:** Not applicable.**\*vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****\*3.2 Chemical characterisation: Mixtures****\*Description:** Mixture of substances listed below with nonhazardous additions.**\*Dangerous components:**

CAS: 100-97-0 EINECS: 202-905-8	methenamine Flam. Sol. 2, H228; Skin Sens. 1, H317	≥1-≤2.5%
CAS: 10034-93-2 EINECS: 233-110-4	hydrazinium(2+) sulphate Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Carc. 1B, H350; Skin Sens. 1, H317	≥0.1-<1%

**SECTION 4: First aid measures****\*4.1 Description of first aid measures****\*After inhalation:**

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention.  
In case of unconsciousness place patient stably in side position for transportation.

**\*After skin contact:**

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

**\*After eye contact:**

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse. Get medical attention if symptoms persist.

**\*After swallowing:** If symptoms persist consult doctor.**\*4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**\*4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

**Trade name: FORMAZIN TURBIDITY STANDARD 1000 NTU**

(Contd. of page 2)

**SECTION 5: Firefighting measures****\*5.1 Extinguishing media****\*Suitable extinguishing agents:**

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

**\*5.2 Special hazards arising from the substance or mixture** No further relevant information available.**\*5.3 Advice for firefighters****\*Protective equipment:**

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers

**SECTION 6: Accidental release measures****\*6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

**\*6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**\*6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**\*6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****\*7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

**\*Information about fire - and explosion protection:** Keep respiratory protective device available.**\*7.2 Conditions for safe storage, including any incompatibilities****\*Storage:****\*Requirements to be met by storerooms and receptacles:** No special requirements.**\*Information about storage in one common storage facility:** Not required.**\*Further information about storage conditions:** None.**\*7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****\*8.1 Control parameters****\*Engineering Controls:** No further data; see item 7.**\*Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**\*Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

**Trade name: FORMAZIN TURBIDITY STANDARD 1000 NTU**

(Contd. of page 3)

**\*8.2 Exposure controls****\*Personal protective equipment:****\*General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.

**\*Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**\*Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

**\*Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Full contact**

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

**Splash contact**

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**\*Penetration time of glove material**

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

**\*Eye protection:**

Tightly sealed goggles: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

GB

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

Trade name: FORMAZIN TURBIDITY STANDARD 1000 NTU

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### \*9.1 Information on basic physical and chemical properties

##### \*General Information

##### \*Appearance:

Form:	Liquid
Colour:	According to product specification
*Odour:	Characteristic
*Odour threshold:	Not determined.

\*pH-value: Not determined.

##### \*Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C

\*Flash point: Not applicable.

\*Flammability (solid, gas): Not applicable.

\*Decomposition temperature: Not determined.

\*Auto-ignition temperature: Product is not selfigniting.

\*Explosive properties: Product does not present an explosion hazard.

##### \*Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

\*Vapour pressure at 20 °C: 23 hPa

\*Density at 20 °C: 1.00289 g/cm<sup>3</sup>

\*Relative density: Not determined.

\*Vapour density: Not determined.

\*Evaporation rate: Not determined.

##### \*Solubility/ miscibility with water:

Not miscible or difficult to mix.

\*Partition coefficient: n-octanol/water: Not determined.

##### \*Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

\*9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

\*10.1 Reactivity: No further relevant information available.

##### \*10.2 Chemical stability

\*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

\*10.3 Possibility of hazardous reactions: No dangerous reactions known.

\*10.4 Conditions to avoid: No further relevant information available.

\*10.5 Incompatible materials: No further relevant information available.

\*10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### \*11.1 Information on toxicological effects

\*Acute toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

Trade name: FORMAZIN TURBIDITY STANDARD 1000 NTU

(Contd. of page 5)

- \***Primary irritant effect:**
- \***Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- \***Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- \***Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- \***Additional toxicological information:**
- \***CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- \***Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- \***Carcinogenicity**  
May cause cancer.
- \***Reproductive toxicity** Based on available data, the classification criteria are not met.
- \***STOT-single exposure** Based on available data, the classification criteria are not met.
- \***STOT-repeated exposure** Based on available data, the classification criteria are not met.
- \***Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- \***12.1 Toxicity**
- \***Aquatic toxicity:** No further relevant information available.
- \***12.2 Persistence and degradability** No further relevant information available.
- \***12.3 Bioaccumulative potential** No further relevant information available.
- \***12.4 Mobility in soil** No further relevant information available.
- \***Additional ecological information:**
- \***General notes:**  
Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.
- \***12.5 Results of PBT and vPvB assessment**
- \***PBT:** Not applicable.
- \***vPvB:** Not applicable.
- \***12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- \***13.1 Waste treatment methods**
- \***Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- \***Uncleaned packaging:**
- \***Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |  |      |
|--|------|
| * <b>14.1 UN-Number</b>                  |      |
| * <b>ADR, IMDG, IATA</b>                 | Void |
| * <b>14.2 UN proper shipping name</b>    |      |
| * <b>ADR, IMDG, IATA</b>                 | Void |
| * <b>14.3 Transport hazard class(es)</b> |      |
| * <b>ADR, IMDG, IATA</b>                 |      |
| * <b>Class</b>                           | Void |
| * <b>14.4 Packing group</b>              |      |
| * <b>ADR, IMDG, IATA</b>                 | Void |

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

**Trade name: FORMAZIN TURBIDITY STANDARD 1000 NTU**

(Contd. of page 6)

*14.5 Environmental hazards:	Not applicable.
*14.6 Special precautions for user	Not applicable.
*14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
*UN "Model Regulation":	Void

### SECTION 15: Regulatory information

\*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

\*Directive 2012/18/EU

\*Named dangerous substances - ANNEX I None of the ingredients is listed.

\*National regulations:

\*Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

\*Breakdown regulations:

Class	Share in %
Wasser	98.6
I	1.4

\*Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

\*15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

\*Relevant Phrases:

H228 Flammable solid.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H350 May cause cancer.

\*Department issuing SDS: Health and Safety

\*Contact: sds@reagecon.ie

\*Abbreviations and acronyms:

REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

(Contd. on page 8)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 21.02.2022

version number 8

Revision: 21.02.2022

**Trade name: FORMAZIN TURBIDITY STANDARD 1000 NTU**

Carc. 1B: Carcinogenicity – Category 1B  
**\*NO**

(Contd. of page 7)

GB