

Printing 01.03.2017 version number 3 Revision: 01.03.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*1.1 Product identifier

\*Trade name: FORMAZIIN TURBIDITY STANDARD 1000NTU

\*Article number: FORM100005

\*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

\*Application of the substance / the mixture Laboratory Chemicals

\*1.3 Details of the supplier of the safety data sheet

\*Manufacturer/Supplier:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare.

Ireland.

Tel +353 61 472622

Fax +353 61 472642

\*Further information obtainable by contacting: sds@reagecon.ie

\*1.4 Emergency telephone number: EMERGENCY CONTACT NUMBER: 00-353-87-8395527

## SECTION 2: Hazards identification

- \*2.1 Classification of the substance or mixture
- \*Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Carc. 1A H350 May cause cancer.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- \*2.2 Label elements
- \*Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

\*Hazard pictograms





GHS07

GHS08

\*Signal word Danger

#### \*Hazard-determining components of labelling:

methenamine

*hydrazinium*(2+) *sulphate* 

## \*Hazard statements

H317 May cause an allergic skin reaction.

H350 May cause cancer.

#### \*Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P308+P313 IF exposed or concerned: Get medical advice/attention.

(Contd. on page 2)



Printing 01.03.2017 version number 3 Revision: 01.03.2017

Trade name: FORMAZIIN TURBIDITY STANDARD 1000NTU

(Contd. of page 1)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

\*2.3 Other hazards

\*Results of PBT and vPvB assessment

\*PBT: Not applicable. \*vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

## \*3.2 Chemical characterisation: Mixtures

\*Description: Mixture of substances listed below with nonhazardous additions.

*Dangerous components:		
CAS: 100-97-0	methenamine	≤ 2.5%
EINECS: 202-905-8	🚸 Flam. Liq. 1, H224; Flam. Sol. 2, H228; 🔱 Skin Sens. 1, H317	
	hydrazinium(2+) sulphate	≤ 2.5%
EINECS: 233-110-4	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; 🗞 Carc. 1A, H350; 🕠 Skin Sens. 1, H317	

<sup>\*</sup>Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

#### \*4.1 Description of first aid measures

#### \*After inhalation:

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention.

In case of unconsciousness place patient stably in side position for transportation.

#### \*After skin contact:

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

#### \*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse. Get medical attention if symptoms persist.

\*After swallowing: If symptoms persist consult doctor.

#### \*4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

\*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- \*5.1 Extinguishing media
- \*Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \*5.2 Special hazards arising from the substance or mixture No further relevant information available.
- \*5.3 Advice for firefighters
- \*Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

# \*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

(Contd. on page 3)



Printing 01.03.2017 version number 3 Revision: 01.03.2017

Trade name: FORMAZIIN TURBIDITY STANDARD 1000NTU

(Contd. of page 2)

\*6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### \*6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### \*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

#### \*7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

\*Information about fire - and explosion protection: Keep respiratory protective device available.

## \*7.2 Conditions for safe storage, including any incompatibilities

- \*Storage:
- \*Requirements to be met by storerooms and receptacles: No special requirements.
- \*Information about storage in one common storage facility: Not required.
- \*Further information about storage conditions: None.
- \*7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

\*Additional information about design of technical facilities: No further data; see item 7.

## \*8.1 Control parameters

#### \*Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

\*Additional information: The lists valid during the making were used as basis.

#### \*8.2 Exposure controls

\*Personal protective equipment:

#### \*General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

### \*Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### \*Protection of hands:





Printing 01.03.2017 version number 3 Revision: 01.03.2017

Trade name: FORMAZIIN TURBIDITY STANDARD 1000NTU

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

## \*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile gloves are recommended for splash contact.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific use scenario.

## \*Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

\*Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

SECTION 9. I hysical and the	nitical properties
*9.1 Information on basic physical an	nd chemical properties
*General Information	
*Appearance:	**
Form:	Liquid
Colour:	According to product specification
*Odour:	Characteristic
*Odour threshold:	Not determined.
*pH-value:	Not determined.
*Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling ra	nge: 100 °C
*Flash point:	Not applicable.
*Flammability (solid, gas):	Not applicable.
*Ignition temperature:	
Decomposition temperature:	Not determined.
$*Auto-ignition\ temperature:$	Product is not selfigniting.
*Explosive properties:	Product does not present an explosion hazard.
*Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
*Vapour pressure at 20 °C:	23 hPa
*Density at 20 °C:	$1.00289 \ g/cm^3$
*Relative density	Not determined.
*Vapour density	Not determined.
*Evaporation rate	Not determined.

(Contd. on page 5)



Printing 01.03.2017 version number 3 Revision: 01.03.2017

Trade name: FORMAZIIN TURBIDITY STANDARD 1000NTU

		(Contd. of page 4
*Solubility/ miscibility with water:	Not miscible or difficult to mix.	
*Partition coefficient: n-octanol/water:	Not determined.	
*Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
*Solvent content:		
Organic solvents:	0.0 %	
*9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

- \*10.1 Reactivity No further relevant information available.
- \*10.2 Chemical stability
- \*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \*10.3 Possibility of hazardous reactions No dangerous reactions known.
- \*10.4 Conditions to avoid No further relevant information available.
- \*10.5 Incompatible materials: No further relevant information available.
- \*10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- \*11.1 Information on toxicological effects
- \*Acute toxicity Based on available data, the classification criteria are not met.
- \*Primary irritant effect:
- \*Skin corrosion/irritation Based on available data, the classification criteria are not met.
- \*Serious eye damage/irritation Based on available data, the classification criteria are not met.
- \*Respiratory or skin sensitisation

May cause an allergic skin reaction.

- \*CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \*Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \*Carcinogenicity

May cause cancer.

- \*Reproductive toxicity Based on available data, the classification criteria are not met.
- \*STOT-single exposure Based on available data, the classification criteria are not met.
- \*STOT-repeated exposure Based on available data, the classification criteria are not met.
- \*Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- \*12.1 Toxicity
- \*Aquatic toxicity: No further relevant information available.
- \*12.2 Persistence and degradability No further relevant information available.
- \*12.3 Bioaccumulative potential No further relevant information available.
- \*12.4 Mobility in soil No further relevant information available.
- \*Additional ecological information:
- \*General notes:

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 6)



Printing 01.03.2017 version number 3 Revision: 01.03.2017

Trade name: FORMAZIIN TURBIDITY STANDARD 1000NTU

(Contd. of page 5)

- \*12.5 Results of PBT and vPvB assessment
- \*PBT: Not applicable.
- \*vPvB: Not applicable.
- \*12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

- \*13.1 Waste treatment methods
- \*Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

\*European waste catalogue

HP 7 Carcinogenic

- \*Uncleaned packaging:
- \*Recommendation: Disposal must be made according to official regulations.

*14.1 UN-Number		
*ADR, IMDG, IATA	Void	
*14.2 UN proper shipping name		
*ADR, IMDG, IATA	Void	
*14.3 Transport hazard class(es)		
*ADR, IMDG, IATA		
*Class	Void	
*14.4 Packing group		
*ADR, IMDG, IATA	Void	
*14.5 Environmental hazards:	Not applicable.	
*14.6 Special precautions for user	Not applicable.	
*14.7 Transport in bulk according to Ann	v	
Marpol and the IBC Code	Not applicable.	
*UN ''Model Regulation'':	Void	

# **SECTION 15: Regulatory information**

- \*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- \*Directive 2012/18/EU
- \*Named dangerous substances ANNEX I None of the ingredients is listed.
- \*REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- \*National regulations:

### \*Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

Class	Share in %
Wasser	98.6
I	1.4

(Contd. on page 7)



Printing 01.03.2017 version number 3 Revision: 01.03.2017

Trade name: FORMAZIIN TURBIDITY STANDARD 1000NTU

(Contd. of page 6)

\*Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

\*15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### \*Relevant Phrases:

H224 Extremely flammable liquid and vapour.

H228 Flammable solid.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H350 May cause cancer.

## \*Department issuing SDS: Health and Safety

\*Contact: sds@reagecon.ie

## \*Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

 $PBT: \ Persistent, \ Bioaccumulative \ and \ Toxic$ 

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 1: Flammable liquids – Category 1

Flam. Sol. 2: Flammable solids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

Carc. 1A: Carcinogenicity - Category 1A

GB